

# Waterproof mini thermometer

The robust waterproof thermometer for every area of application.



# The new waterproof mini thermometer

Switch on, measure, finished

Finally it's back. The waterproof mini thermometer which after use, for example a temperature spot check on foodstuffs, can be simply cleaned under running water, or even in a dishwasher.

Whether for a food producer, inspector or consumer, a refrigeration technician or a heating fitter, a photo or chemical laboratory worker, this mini thermometer is suitable for many applications and can be used anywhere.



### New technical features:

- Waterproof, protection class IP67
- Measuring range from -20 to +230 °C
- Switchover from °C to °F at the touch of a button
- Battery level display
- MAX/MIN and HOLD button
- Easily exchangeable battery
- Length of probe shaft 120 mm
- Protective sleeve as a holder

The new waterproof thermometer replaces order number 0560 1112!

Order number: 0560 1113

## The reliable companion for every job

For example for temperature spot checks in food production.



For air flow measurements in many different places.



For measurements in liquids of all kinds, for example chemicals in laboratories.



## Your mini experts for every imaginable temperature measuring task

The small, handy immersion and penetration thermometers record temperatures in air as well as in soft or powdery substances and liquids.

They can be used everywhere, whether in the food or pharmaceutical sectors or in the area of heating and ventilation.



### Standard mini penetration thermometer

- Large, easy-to-read display
- Battery level display
- Easy, fast battery replacement
- Switchover from °C to °F at the touch of a button
- Measurements from -50 to +150 °C
- Length of probe shaft 133 mm
- Protective sleeve as a holder

Order number: 0560 1110



### Mini penetration thermometer with extended probe tip

The longer measurement tip of 213 mm is suitable for measurements in which the object is difficult to reach, or if there is little space for a measurement. For measurement points which are very hot, this thermometer has a higher measuring range from -50 to +250 °C.

Order number: 0560 1111



### Mini surface thermometer

- Universally applicable for surface measurement
- Large, easy-to-read display
- Battery status display and easy battery replacement
- Probe shaft length 120 mm
- Measurement tip diameter 15 mm
- Measuring range from -50 to +300 °C

Order number: 0560 1109

For determining ambient temperatures. Dishwasher-safe.



The protective sleeve with clip holder. Always ready to hand.



And if the thermometer gets dirty, simply rinse it under running water.



# Technical data

	Waterproof mini thermometer	Mini thermometer	Mini thermometer	Mini surface thermometer
Meas. range	-20 to +230 °C	-50 to +150 °C	-50 to +250 °C	-50 to +300 °C
Probe tip	Length 120 mm	Length 133 mm	Length 213 mm	Length 120 mm
Accuracy ±1 digit	±1 °C (-20 to +53.9 °C) ± 0.8 °C (+54 to +90 °C) ±1 °C (+90.1 to +180 °C) ± 1.5 °C (+180.1 to +230 °C)	±1 °C (-10 to +99.9 °C) ±2 °C (-30 to -10.1 °C) ±2 % of m.v. (+100 to +150 °C)	±1 °C (-10 to +99.9 °C) ±2 % of m.v. (+100 to +199.9 °C) ±3 % of m.v. (+200 to +250 °C)	±1 °C (-30 to +250 °C) ±2% (remaining meas. range)
Resolution	0.1 °C (-19.9 to +199.9 °C) 1 °C (remaining meas. range)	0.1 °C (-19.9 to +150 °C) 1 °C (remaining meas. range)	0.1 °C (-19.9 to +199.9 °C) 1 °C (remaining meas. range)	0.1 °C (-19.9 to +199.9 °C) 1 °C (remaining meas. range)
Oper. temp.	-10 to +50 °C			
Battery type	LR44 button cell			
Display	LCD single-line			
Warranty	2 years			

## Quick order fax

Quantity	Please send me:	Order no.	EUR
	Waterproof mini thermometer, Protection class IP67, up to +230 °C, length 120 mm, with protective sleeve for probe shaft	0560 1113	
	Standard mini penetration thermometer	0560 1110	
	Standard mini penetration thermometer with extended probe tip	0560 1111	
	Mini surface thermometer	0560 1109	

To

Sender	
_____	_____
First name and surname	Street, No.
_____	_____
Company	Postal code, city
_____	_____
Telephone/fax	E-mail
_____	_____
Department	Date and signature (only for orders!)